



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/802,111	03/07/2001	Todor J. Fay	MSI-737US	5579

22801 7590 11/24/2004
LEE & HAYES PLLC
421 W RIVERSIDE AVENUE SUITE 500
SPOKANE, WA 99201

EXAMINER

FLANDERS, ANDREW C

ART UNIT	PAPER NUMBER
----------	--------------

2644

DATE MAILED: 11/24/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/802,111

Applicant(s)

FAY ET AL.

Examiner

Andrew C Flanders

Art Unit

2644

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 March 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-56 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-56 is/are rejected.
- 7) ☒ Claim(s) 24 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on _____ is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Claim Objections

1. Applicant is advised that should claim 23 be found allowable, claim 24 will be objected to under 37 CFR 1.75 as being a substantial duplicate thereof. When two claims in an application are duplicates or else are so close in content that they both cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1, 3 – 21, 36, 37, 41 – 45, 47, 48, and 50 – 56 are rejected under 35 U.S.C. 102(b) as being anticipated by Gulick (U.S. Patent 5,717,154).

4. Regarding Claim 1, Tulkoff discloses a Mixer that receives multiple audio streams from multiple audio processes and an audio device (Fig. 1 elements 10, 12 and 14) (i.e. receiving multiple streams of audio wave data and an audio wave data consumer), the audio processes make connections to the mixer (col. 3 lines 17 – 18) (i.e. defining logical buses that each correspond to an audio wave data consumer), audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12). It is inherent that if the streams are

sent from the audio process to the mixer that some sort of connection device or bus must be present to transport the streams (i.e. assigning each of the multiple streams of audio wave data to one or more of the logical buses; and routing any audio wave data stream assigned to a particular logical bus to the audio wave data consumer corresponding to said particular logical bus).

5. Regarding Claim 3 in addition to the elements stated above regarding claim 1, Tulkoff further discloses the audio processes make connections to the mixer (col. 3 lines 17 – 18) and audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. wherein a plurality of audio wave data streams are assigned to at least one of the logical buses).

6. Regarding Claim 4 in addition to the elements stated above regarding claim 1, Tulkoff further discloses a single mixer (audio wave data consumer) that receives audio streams from an audio process and each process sends a single stream to the mixer (Fig. 1 elements 10 and 12) (i.e. wherein each logical bus corresponds to a single audio wave data consumer).

7. Regarding Claim 5, in addition to the elements stated above regarding claim 1, Tulkoff further discloses that multiple audio streams from audio processes are sent to a single mixer (Fig. 1 elements 10 and 12) (i.e. wherein at least two of the logical buses correspond to the same audio wave data consumer).

8. Regarding Claim 6, in addition to the elements stated above regarding claim 1, Tulkoff further discloses that the data being played is copied to a buffer allotted to the client in the mixer (col. 4 lines 24 –25) (i.e. wherein the audio wave data consumer is a

data buffer that performs an action of buffering audio wave data prior to outputting the audio wave data).

9. Regarding Claim 7, in addition to the elements stated above regarding claim 1, Tulkoff further discloses a mixer to digitally mix any number of independent audio streams from any number of applications and sends the new, mixed stream to an audio device (col. 2 lines 63 – 66) (i.e. wherein the audio wave data consumer performs an action of effects-processing the audio wave data prior to outputting the audio wave data).

10. Regarding Claim 8, in addition to the elements stated above regarding claim 1, Tulkoff further discloses that the internal client structures suitably contain all of the audio stream parameters that were set in each audio process (col. 3 lines 19 – 21) (i.e. creating a data structure), the audio processes make connections to the mixer (col. 3 lines 17 – 18) and audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. correlating the logical busses with corresponding audio wave data consumers).

11. Regarding Claim 9, in addition to the elements stated above regarding claim 1, Tulkoff further discloses that the internal client structures suitably contain all of the audio stream parameters that were set in each audio process (col. 3 lines 19 – 21) (i.e. creating a data structure), the audio processes make connections to the mixer (col. 3 lines 17 – 18) and audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. correlating the logical busses with corresponding audio wave data consumers), the mixer waits on a

select system call for client events and the mixer keeps track of all clients that have made connections to it (col. 3 lines 15 – 18) (i.e. referring to the data structure).

12. Regarding Claim 10, in addition to the elements stated above regarding claim 1, Tulkoff further discloses in a running process on a computer a method that includes sending a plurality of audio streams of varying formats from at least one application program running on the computer system to the output audio device and the method further includes intercepting the plurality of audio streams with a mixer daemon for maintaining transparency to the at least one application program (col. 2 lines 1 – 9) (i.e. instantiating a programming object to receive the multiple streams of audio wave data).

13. Regarding Claim 11, in addition to the elements stated above regarding claim 1, Tulkoff further discloses in a running process on a computer a method that includes sending a plurality of audio streams of varying formats from at least one application program running on the computer system to the output audio device and the method further includes intercepting the plurality of audio streams with a mixer daemon for maintaining transparency to the at least one application program (col. 2 lines 1 – 9) (i.e. programming object to receive the multiple streams of audio wave data, and wherein said routing comprises calling an interface of the programming object).

14. Regarding Claim 12, in addition to the elements stated above regarding claim 1, Tulkoff further discloses providing a running process in a computer system that allows simultaneous use of an output audio device (col. 2 lines 1 – 3) (i.e. one or more computer-readable media comprising computer executable instructions that, when executed, direct a computing system to perform the method of claim 1).

15. Regarding Claim 13, Tulkoff discloses a Mixer and an audio device that receive multiple audio streams from audio processes (Fig. 1 elements 10, 12 and 14) (i.e. a plurality of audio wave data sources that produce one or more streams of audio wave data and a plurality of audio wave data consumers that receive one or more streams of audio wave data) and in a running process on a computer a method that includes sending a plurality of audio streams of varying formats from at least one application program running on the computer system to the output audio device and the method further includes intercepting the plurality of audio streams with a mixer daemon for maintaining transparency to the at least one application program (col. 2 lines 1 – 9) (i.e. a software component that defines logical buses corresponding respectively to the plurality of audio wave data consumers, and the software component configured to receive one or more of the streams of audio wave data at each of the defined logical buses, and route any audio wave data that is received at a particular logical bus to an audio wave data consumer corresponding to said particular logical bus).

16. Regarding Claim 14, in addition to the elements listed above regarding claim 13, Tulkoff further discloses a single mixer (audio wave data consumer) that receives audio streams from an audio process and each process sends a single stream to the mixer (Fig. 1 elements 10 and 12) (i.e. wherein each logical bus corresponds to a single audio wave data consumer).

17. Regarding Claim 15, in addition to the elements stated above regarding claim 13, Tulkoff further discloses that multiple audio streams from audio processes are sent to a

single mixer (Fig. 1 elements 10 and 12) (i.e. wherein at least two of the logical buses correspond to the same audio wave data consumer).

18. Regarding Claim 16 in addition to the elements stated above regarding claim 13, Tulkoff further discloses the audio processes make connections to the mixer (col. 3 lines 17 – 18) and audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. wherein a plurality of audio wave data streams are assigned to at least one of the logical buses).

19. Regarding Claim 17, in addition to the elements stated above regarding claim 13, Tulkoff further discloses that the data being played is copied to a buffer allotted to the client in the mixer (col. 4 lines 24 –25) (i.e. wherein the audio wave data consumer is a data buffer that performs an action of buffering audio wave data prior to outputting the audio wave data).

20. Regarding Claim 18, in addition to the elements stated above regarding claim 13, Tulkoff further discloses a mixer to digitally mix any number of independent audio streams from any number of applications and sends the new, mixed stream to an audio device (col. 2 lines 63 – 66) (i.e. wherein the audio wave data consumer performs an action of effects-processing the audio wave data prior to outputting the audio wave data).

21. Regarding Claim 19, in addition to the elements stated above regarding claim 13, Tulkoff further discloses that the data being played is copied to a buffer allotted to the client in the mixer (col. 4 lines 24 –25) (i.e. wherein the audio wave data consumer is a data buffer that buffers one or more of the streams of audio wave data), and said mixer

Art Unit: 2644

is to digitally mix any number of independent audio streams from any number of applications and sends the new, mixed stream to an audio device (col. 2 lines 63 – 66) (i.e. effects-processes the buffered audio wave data).

22. Regarding Claim 20, in addition to the elements stated above regarding claim 13, Tulkoff further discloses that the audio streams are of varying formats from at least one application program (col. 2 lines 4 – 6) (i.e. wherein the sources are software components).

23. Regarding Claim 21, in addition to the elements stated above regarding claim 13, Tulkoff further discloses a system for producing a single audio stream from a plurality of streams and at least one application program producing the plurality of streams (col. 2 lines 13 – 16) and the mixer acts as an initializer and a handler (col. 2 lines 43 – 44) (i.e. programming objects having interfaces that are callable by a software component to generate the one or more streams of audio wave data).

24. Regarding Claim 36, Tulkoff discloses multiple audio processes that provide multiple streams of audio, a Mixer and an audio device that receive multiple audio streams from audio processes (Fig. 1 elements 10, 12 and 14) (i.e. a plurality of logical bus objects configured to receive audio wave data wherein each logical bus object corresponds to an audio wave data consumer and wherein one or more streams of audio wave data are assigned to a logical bus object based on the function of an audio wave data consumer that corresponds to the logical bus object) and the internal client structures suitably contain all of the audio stream parameters that were set in each audio process (col. 3 lines 19 – 21) (i.e. a data structure), the audio processes make

Art Unit: 2644

connections to the mixer (col. 3 lines 17 – 18) and audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. correlating the logical bus object according to a function of an audio wave data consumer that corresponds to a logical bus object).

25. Regarding Claim 37, in addition to the elements listed above regarding claim 36, Tulkoff further discloses multiple audio processes that provide multiple streams of audio, a Mixer and an audio device that receive multiple audio streams from audio processes (Fig. 1 elements 10, 12 and 14) (i.e. wherein a logical bus object receives one or more of the assigned audio wave data streams and routes the audio wave data streams to the corresponding audio wave data consumer).

26. Regarding Claim 41 in addition to the elements stated above regarding claim 36, Tulkoff further discloses a single mixer (audio wave data consumer) that receives audio streams from an audio process and each process sends a single stream to the mixer (Fig. 1 elements 10 and 12) (i.e. wherein each logical bus corresponds to a single audio wave data consumer).

27. Regarding Claim 42, in addition to the elements stated above regarding claim 36, Tulkoff further discloses that multiple audio streams from audio processes are sent to a single mixer (Fig. 1 elements 10 and 12) (i.e. wherein at least two of the logical buses correspond to the same audio wave data consumer).

28. Regarding Claim 43 in addition to the elements stated above regarding claim 36, Tulkoff further discloses the audio processes make connections to the mixer (col. 3 lines 17 – 18) and audio streams are sent from the audio processes to the audio device by

the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. wherein a plurality of audio wave data streams are assigned to at least one of the logical buses).

29. Regarding Claim 44, Tulkoff further discloses the mixer keeps track of all of the clients, i.e., audio processes that have made connections to it and the internal structures keep audio stream parameters that were set in the audio process (col. 3 lines 16 – 21) and digitally mixing any number of independent audio streams from any number of applications (col. 2 lines 63 – 66) (i.e. a bus identifier parameter to uniquely identify a logical bus that corresponds to an audio wave data consumer and a function identifier parameter to identify an effects-processing function of the audio wave data consumer), when a request is received a determination of whether the request is from a new client is made (col. 4 lines 11 – 13) (i.e. a programming reference to identify the audio wave data consumer), and the audio processes make connections to the mixer (col. 3 lines 17 – 18) and audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. wherein one or more streams of audio wave data are assigned to the logical bus with the bus identifier parameter according to the function identifier parameter of the corresponding audio wave data consumer).

30. Regarding Claim 45, Tulkoff discloses a Mixer that receives multiple audio streams from multiple audio processes and transfers them to an audio device (Fig. 1 elements 10, 12 and 14) (i.e. providing an audio wave data generation component configured to receive audio content and an instruction to generate one or more streams of audio wave data and providing an audio wave data consumer component configured

to receive the one or more streams of audio wave data and providing a logical bus component configured to route the one or more streams of audio wave data to the audio wave data consumer component).

31. Regarding Claim 47, in addition to the elements stated above regarding claim 45, Tulkoff further discloses that the data being played is copied to a buffer allotted to the client in the mixer (col. 4 lines 24 –25) (i.e. wherein the audio wave data consumer component is a data buffer that performs an action of buffering audio wave data).

32. Regarding Claim 48, in addition to the elements stated above regarding claim 45, Tulkoff further discloses a mixer to digitally mix any number of independent audio streams from any number of applications and sends the new, mixed stream to an audio device (col. 2 lines 63 – 66) (i.e. wherein the audio wave data consumer component performs an action of effects-processing the audio wave data).

33. Regarding Claim 50, in addition to the elements stated above regarding claim 45, Tulkoff further discloses a Mixer that receives multiple audio streams from multiple audio processes and an audio device (Fig. 1 elements 10, 12 and 14), the audio processes make connections to the mixer (col. 3 lines 17 – 18) audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. assigning one or more of the streams of audio wave data to the logical bus component).

34. Regarding Claim 51, in addition to the elements stated above regarding claim 45, Tulkoff further discloses providing a running process in a computer system that allows simultaneous use of an output audio device (col. 2 lines 1 – 3) (i.e. one or more

computer executable instructions that, when executed, direct a computing system to perform the method of claim 45).

35. Regarding Claim 52, Tulkoff discloses a Mixer that receives multiple audio streams from multiple audio processes and an audio device (Fig. 1 elements 10, 12 and 14) (i.e. receiving multiple streams of audio wave data and an audio wave data consumer), the audio processes make connections to the mixer (col. 3 lines 17 – 18) (i.e. defining logical buses that each correspond to an audio wave data consumer), that the internal client structures suitably contain all of the audio stream parameters that were set in each audio process (col. 3 lines 19 – 21) (i.e. creating a data structure), the audio processes make connections to the mixer (col. 3 lines 17 – 18) and audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. correlating the logical busses with corresponding audio wave data consumers), audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12). It is inherent that if the streams are sent from the audio process to the mixer that some sort of connection device or bus must be present to transport the streams (i.e. assigning each of the multiple streams of audio wave data to one or more of the logical buses; and routing any audio wave data stream assigned to a particular logical bus to the audio wave data consumer corresponding to said particular logical bus).

36. Regarding Claim 53 in addition to the elements stated above regarding claim 52, Tulkoff further discloses the audio processes make connections to the mixer (col. 3 lines 17 – 18) and audio streams are sent from the audio processes to the audio device by

Art Unit: 2644

the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. wherein a plurality of audio wave data streams are assigned to at least one of the logical buses).

37. Regarding Claim 54 in addition to the elements stated above regarding claim 52, Tulkoff further discloses a single mixer (audio wave data consumer) that receives audio streams from an audio process and each process sends a single stream to the mixer (Fig. 1 elements 10 and 12) (i.e. wherein each logical bus corresponds to a single audio wave data consumer).

38. Regarding Claim 55, in addition to the elements stated above regarding claim 52, Tulkoff further discloses that multiple audio streams from audio processes are sent to a single mixer (Fig. 1 elements 10 and 12) (i.e. wherein at least two of the logical buses correspond to the same audio wave data consumer).

39. Regarding Claim 56, in addition to the elements stated above regarding claim 52, Tulkoff further discloses providing a running process in a computer system that allows simultaneous use of an output audio device (col. 2 lines 1 – 3) (i.e. computer executable instructions that, when executed, direct a computing system to perform the method of claim 52).

Claim Rejections - 35 USC § 103

40. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Art Unit: 2644

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

41. Claims 2, 22, 23 – 30, 32 - 35, 38, 40, 46 and 49 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tulkoff (U.S. Patent 5,890,017) in view of Gulick (U.S. Patent 5,717,154).

42. Regarding Claim 2, in addition to the elements stated above regarding claim 1, Gulick discloses that a synthesizer address generator generates a request for two wavetable data samples each frame for each active voice (col. 6 lines 46 – 48) (i.e. generating the streams of audio wave data in response to receiving a synthesizer instruction). Tulkoff discloses that in accordance with the present invention the audio processes represent sources of audio streams from one or more applications (col. 2 line 68 and col. 3 lines 1 – 2). One of ordinary skill in the art at the time of the invention would have been motivated to combine Gulick's synthesizer with Tulkoff's mixer to provide one or more audio streams for the mixer. Gulick's synthesizer provides a suitable audio stream and therefore it would have been obvious to one of ordinary skill in the art to combine it with Tulkoff's mixer. Gulick discloses that often users desire output of more than one stream at a time. For example, a game may include a background audio stream, while interjecting momentary reaction audio streams according to activity occurring during the playing of the game (col. 1 lines 19 – 29).

43. Regarding Claim 22, in addition to the elements stated above regarding claim 13, Tulkoff further discloses multiple audio processes that provide multiple streams of audio (Fig. 1 element 10) (i.e. one or more audio processes that generate one or more streams of audio data). Tulkoff does not disclose a synthesizer. Gulick discloses that

Art Unit: 2644

a synthesizer address generator generates a request for two wavetable data samples each frame for each active voice (col. 6 lines 46 – 48) (i.e. one or more synthesizers).

The motivation to combine these elements is given above regarding claim 2.

44. Regarding Claims 23 and 24, in addition to the elements stated above regarding claim 13, Tulkoff further discloses multiple audio processes that provide multiple streams of audio (Fig. 1 element 10) (i.e. a plurality of audio processes that generate one or more streams of audio wave data). Tulkoff does not disclose a synthesizer.

Gulick discloses that a synthesizer address generator generates a request for two wavetable data samples each frame for each active voice (col. 6 lines 46 – 48) (i.e. one or more synthesizers). The motivation to combine these elements is given above regarding claim 2.

45. Regarding Claim 25, Tulkoff discloses multiple audio processes that provide multiple streams of audio, a Mixer and an audio device that receive multiple audio streams from audio processes (Fig. 1 elements 10, 12 and 14) (i.e. multiple streams of audio wave data and a plurality of audio wave data consumers that receive the multiple streams of audio wave data) and a running process on a computer a method that includes sending a plurality of audio streams of varying formats from at least one application program running on the computer system to the output audio device and the method further includes intercepting the plurality of audio streams with a mixer daemon for maintaining transparency to the at least one application program (col. 2 lines 1 – 9) (i.e. a software component configured to receive one or more of the streams of audio wave data at each of the defined logical buses, and route any audio wave data that is

received at a particular logical bus to an audio wave data consumer corresponding to said particular logical bus). Tulkoff does not disclose a synthesizer. Gulick discloses that a synthesizer address generator generates a request for two wavetable data samples each frame for each active voice (col. 6 lines 46 – 48) (i.e. a synthesizer that generates a stream of audio wave data). The motivation to combine these elements is given above regarding claim 2.

46. Regarding Claim 26, in addition to the elements stated above regarding claim 25, Tulkoff further discloses multiple audio processes that provide multiple streams of audio, a Mixer and an audio device that receive multiple audio streams from audio processes (Fig. 1 elements 10, 12 and 14) (i.e. wherein a second logical bus is configured to correspond to the audio wave data consumer, receive one or more additional streams of audio wave data, and route the one or more additional streams of audio wave data to the audio wave data consumer).

47. Regarding Claim 27, in addition to the elements stated above regarding claim 25, Tulkoff discloses audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. routing the stream of audio wave data to the individual logical bus). Tulkoff does not disclose a synthesizer that has a channel that generates a stream of audio wave data. Gulick discloses that the synthesizer generates sounds in response to the wavetable data samples (col. 5 lines 4 – 5) (i.e. wherein the synthesizer has a channel that generates a stream of audio wave data). The motivation to combine these elements is given above regarding claim 2.

48. Regarding Claim 28, in addition to the elements stated above regarding claim 25, Tulkoff discloses audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12), a Mixer and an audio device that receive multiple audio streams from audio processes (Fig. 1 elements 10, 12 and 14) (i.e. route the stream of audio wave data to a plurality of logical buses and wherein the logical buses receive the stream of audio wave data and route the stream of audio wave data to a plurality of corresponding audio wave data consumers). Tulkoff does not disclose a synthesizer that has a channel that generates a stream of audio wave data. Gulick discloses that the synthesizer generates sounds in response to the wavetable data samples (col. 5 lines 4 – 5). (i.e. wherein the synthesizer has a channel that generates a stream of audio wave data). The motivation to combine these elements is given above regarding claim 2.

49. Regarding Claim 29, in addition to the elements stated above regarding claim 25, Tulkoff discloses audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12), a Mixer and an audio device that receive multiple audio streams from audio processes (Fig. 1 elements 10, 12 and 14) (i.e. route the stream of audio wave data to a plurality of logical buses and wherein the logical buses receive the stream of audio wave data and route the stream of audio wave data to a plurality of corresponding audio wave data consumers). Tulkoff does not disclose a synthesizer that has a channel that generates a stream of audio wave data. Gulick discloses that the synthesizer generates sounds in response to the wavetable data samples (col. 5 lines 4 – 5). It is inherent that placing multiple

Art Unit: 2644

synthesizers in place of Tulkoff's audio processes will create a plurality of generated streams. (i.e. wherein the synthesizer has a plurality of channels that each generate a stream of audio wave data). The motivation to combine these elements is given above regarding claim 2.

50. Regarding Claim 30, in addition to the elements stated above regarding claim 25, Gulick further discloses that the synthesizer generates sounds in response to the wavetable data samples (col. 5 lines 4 – 5) and synthesizer address generator generates a request for two wavetable data samples each frame for each active voice (col. 6 lines 46 – 49) (i.e. wherein the synthesizer generates a stream of audio wave data in response to a synthesizer instruction).

51. Regarding Claim 32, in addition to the elements stated above regarding claim 25, Tulkoff discloses audio streams are sent from multiple audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. wherein the individual logical bus is configured to receive one or more of the additional streams of audio wave data and route the additional streams of audio wave data to the audio wave data consumer). Tulkoff does not disclose multiple synthesizers. Gulick further discloses that the synthesizer generates sounds in response to the wavetable data samples (col. 5 lines 4 – 5). Replacing Tulkoff's multiple audio processes with Gulick's synthesizer would create multiple synthesizers (i.e. a second synthesizer to generate additional streams of audio wave data). The motivation to combine these elements is given above regarding claim 2.

52. Regarding Claim 33, in addition to the elements stated above regarding claim 25, Tulkoff discloses audio streams are sent from multiple audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12). This creates multiple buses (i.e. wherein a second logical bus is configured to correspond to the audio wave data consumer, receive one or more of the additional streams of audio wave data and route the additional streams of audio wave data to the audio wave data consumer). Tulkoff does not disclose multiple synthesizers. Gulick further discloses that the synthesizer generates sounds in response to the wavetable data samples (col. 5 lines 4 – 5). Replacing Tulkoff's multiple audio processes with Gulick's synthesizer would create multiple synthesizers (i.e. a second synthesizer to generate additional streams of audio wave data). The motivation to combine these elements is given above regarding claim 2.

53. Regarding Claim 34, in addition to the elements stated above regarding claim 25, Tulkoff further discloses that the internal client structures suitably contain all of the audio stream parameters that were set in each audio process (col. 3 lines 19 – 21) (i.e. a data structure), the audio processes make connections to the mixer (col. 3 lines 17 – 18) and audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. correlating the logical busses with corresponding audio wave data consumers).

54. Regarding Claim 35, in addition to the elements stated above regarding claim 25, Tulkoff further discloses that the internal client structures suitably contain all of the audio stream parameters that were set in each audio process (col. 3 lines 19 – 21) (i.e. a data

structure), the audio processes make connections to the mixer (col. 3 lines 17 – 18) and audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. correlating the logical busses with corresponding audio wave data consumers and the audio wave data consumer receives streams of audio wave data from the corresponding logical buses).

55. Regarding Claim 38 in addition to the elements listed above regarding claim 36, Gulick further discloses that the synthesizer generates sounds in response to the wavetable data samples (col. 5 lines 4 – 5) (i.e. a synthesizer that generates the one or more streams of audio wave data). The motivation to combine these elements is given above regarding claim 2.

56. Regarding Claim 40, in addition to the elements stated above regarding claim 36, Gulick further discloses that the synthesizer generates sounds in response to the wavetable data samples (col. 5 lines 4 – 5) and synthesizer address generator generates a request for two wavetable data samples each frame for each active voice (col. 6 lines 46 – 49) (i.e. an audio wave data generation object configured to receive audio content and an instruction to generate the one or more streams of audio wave data).

57. Regarding Claim 46, in addition to the elements stated above regarding claim 45, Regarding Claim 39 in addition to the elements stated above regarding claim 36, Gulick further discloses that the synthesizer generates sounds in response to the wavetable data samples (col. 5 lines 4 – 5) (i.e. wherein the audio wave data generation component is a synthesizer).

58. Regarding Claim 49, in addition to the elements stated above regarding claim 45, Tulkoff further discloses that the internal client structures suitably contain all of the audio stream parameters that were set in each audio process (col. 3 lines 19 – 21) (i.e. a data structure), the audio processes make connections to the mixer (col. 3 lines 17 – 18) and audio streams are sent from the audio processes to the audio device by the mixer (col. 3 lines 32 – 35 and Fig. 1 elements 10 and 12) (i.e. correlating the logical bus component with the audio wave data consumer component).

59. Claims 31 and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tulkoff (U.S. Patent 5,890,017) in view of Gulick (U.S. Patent 5,717,154) and in further view of Hewitt (U.S. Patent 6,100,461).

60. Regarding Claim 31, in addition to the elements stated above regarding claim 25, Gulick further discloses that the synthesizer generates sounds in response to the wavetable data samples (col. 5 lines 4 – 5) and synthesizer address generator generates a request for two wavetable data samples each frame for each active voice (col. 6 lines 46 – 49). Gulick does not disclose a MIDI system. Hewitt discloses that audio peripherals are commonly available as digital audio systems using a standard MIDI serial communication protocol for performance of audio voice signals and one type of this audio peripheral is a wavetable-type music synthesizer (col. 1 lines 12 – 16) (i.e. wherein the synthesizer generates a stream of audio wave data in response to a MIDI instruction). One of ordinary skill in the art at the time of the invention would have been motivated to use Gulick's wavetable synthesizer as Hewitt's MIDI system to reliably transfer musical data.

61. Regarding Claim 39 in addition to the elements stated above regarding claim 36, Gulick further discloses that the synthesizer generates sounds in response to the wavetable data samples (col. 5 lines 4 – 5) and synthesizer address generator generates a request for two wavetable data samples each frame for each active voice (col. 6 lines 46 – 49). Gulick does not disclose a MIDI system. Hewitt discloses that audio peripherals are commonly available as digital audio systems using a standard MIDI serial communication protocol for performance of audio voice signals and one type of this audio peripheral is a wavetable-type music synthesizer (col. 1 lines 12 – 16) (i.e. a synthesizer that generates the one or more streams of audio wave data in response to a MIDI instruction).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew C Flanders whose telephone number is (703) 305-0381. The examiner can normally be reached on M-F 8:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Forrester Isen can be reached on (703) 305-4386. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

acf



FORESTER W. ISEN
SUPERVISORY PATENT EXAMINER